

Advance Mark X® Powerline and Mark VII® 0-10V Dimming Ballasts are Compatible with Controls from 30+ Manufacturers



Occupancy Sensors

Occupancy sensors automatically turn lights on/off or bring lights to high/low light output when motion in a room is detected. After the space has been vacant for a period, which is set in the occupancy sensor, the lights will go off or dim.

Photocell Controls

Photocell controls automatically adjust the lighting based on the amount of daylight present and the setting. These controls can also be used for lumen maintenance, allowing lamps to be dimmed when they are new, which minimizes the wasteful effects of over-design. The power supplied is gradually increased as the lamps age to compensate for light loss over time.

Wallbox Dimmers

Wallbox dimmers enable users to set the desired light level by manually increasing or decreasing the light level by adjusting the slide. Slide and preset dimmers take the place of a switch.

Wallbox/Occupancy Sensor Dimmers

Wallbox/occupancy sensor dimmers incorporate both technologies of a preset dimmer and passive infrared occupancy sensor. A preset dimmer allows the user to set the desired light level using a slider and turn the lights on and off by flicking the switch.

Remote Controls

Dimming level and on/off can be controlled via handheld remote or computer-based systems.

Architectural Controls

An architectural control is a programmable device with a bank of preset controls allowing the user to have multiple lighting scenes by pressing a button.

Theatrical Controls

A theatrical control is a device similar to an architectural control, but on a larger and more complex scale.

Building Lighting Control Systems

Building lighting control systems turn lamps on/off and control the dimming level of the lighting system.

Building Automation Systems

Building automation systems turn lamps on/off and control the dimming level of the lighting system, in addition to controlling the HVAC system.

System Control Module

A system control module is an interface within a building automation system that turns lamps on/off and controls the dimming level of the lighting system.

Wallbox Dimmer - Mark X® Powerline

Control Manufacturer	Phone/ Website	Wallbox Dimmer	Power Booster Available
HUNT Dimming	970.484.9048 www.huntdimming.com	Preset slide: PS-600-IV Mark X and PS-600-WH Mark X (120V) Preset slide: PS-600-3W-IV Mark X and PS-600-3W-WH Mark X (120V) Preset slide: PS-600-IV Mark X and PS-600-WH Mark X (277V) Preset slide: PS-600-3W-IV Mark X and PS-600-3W-WH Mark X (277V) Slide to off: SC-10-IV Mark X and SC-10-WH Mark X (120V) Slide to off: SC-15-IV Mark X and SC-15-WH Mark X (120V) Slide to off: SC-10-IV Mark X and SC-10-WH Mark X (277V) Slide to off: SC-15-IV Mark X and SC-15-WH Mark X (277V) PS-IFC-IV Mark X and PS-IFC-WH Mark X PS-IFC-3W-IV Mark X and PS-IFC-3W-WH Mark X FD-30 Mark X and FD-20 Mark X 120V MASTER FD-30-S Mark X and FD-20-S Mark X 120V SLAVE FD-27 Mark X 277V MASTER and FD-27-S Mark X 277V SLAVE	
Lehigh Electric Products Co.	610.395.3386 www.lehighdim.com	Solitaire	PBX
Leviton Lighting Controls Div.	800.824.3005 www.leviton.com	Monet™ 120V: MNX10-1L and 277V: MNX20-7L Monet™ 120V: MNX15-1L and 277V: MNX30-7L Renoir™ 120V: 26666-31 and 277V: 26666-37 Mural™ Scene 120V: MCX10-1L Mural™ L/S 120V: MLX06-1L TouchPoint™ 120V: TPX06-1L and TPX10-1L IllumaTech™ 120V: IPX06-1L and IPX10-1L IllumaTech™ 277V: IPX12-7L SureSlide™ 120V: 6667-31, 6668-1 and 277V: 6667-37	DPSPE-112 for 120V versions DPSPE-112 for 120V versions DPSPE-112 for 120V versions DPSPE-112 for 120V versions DPSPE-112 for 120V versions DPSPE-112 for 120V versions DPSPE-112 for 120V versions
Lightolier	800.526.2731 www.locontrols.com	MultiSet Pro MSP600EB, MHP600EB, MHP1000EB and MHP1500EB Sunrise Preset ZP600EB and ZP1000EB Momentum Preset MP1500EB Onset OS600EB, OS1000EB and OH1500EB V1500EBU Vega Slider (120/277V)	
Lithonia Controls	770.987.4200 www.lithonia.com	DSD 500, SLD F and SQ1DC 2000 MG MC1	RDM 2000 120

Control Manufacturer	Phone/ Website	Wallbox/Occupancy Dimmer	Power Booster Available
The Watt Stopper Inc.	800.879.8585 www.wattstopper.com	WD 170 and WD 180, Wall Box Occ. Sensor and Dimmer WD 270 and WD280 Wall Box Occ. Sensor and Dimmer, Dim before disconnect	

Advance Transformer Co. is providing the following information as a convenience to assist in developing dimming systems. The manufacturers provided spelling of the company name, their phone number or numbers, part numbers and the function of the device or devices. Advance Transformer Co. does not warrant or guarantee the correctness or accuracy of this control compatibility guide. The user is advised to consult the control manufacturer to ascertain and verify that the control selected is the appropriate and correct choice for the user's requirements.

For a brief description of the control, please refer to Advance's Fluorescent Dimming Ballast Brochure, Form No. EL-2000-AA-R01.

Information on the Mark VII® 0-10V and Mark X® Powerline, can be obtained by referring to the current Advance Atlas, calling Technical Support at 800-372-3331 or by visiting our Web Site at www.advancetransformer.com.

Occupancy Sensor - Mark X® Powerline

Control Manufacturer	Phone/ Website	Occupancy Sensor	Power Booster Available
Leviton Lighting Controls Div.	800.824.3005 www.leviton.com	Multi-Tech Wall Occupancy Sensor: ODW12 Wide View Occupancy Sensor: ODWWV High Bay Occupancy Sensor: ODWHB Multi-Tech Ceiling Occupancy Sensor: ODC05, ODC10 and ODC20 Ultrasonic Ceiling Occupancy Sensor: ODC05, ODC10 and ODC20 PIR Ceiling Occupancy Sensor: ODC04	ODP Series ODP Series ODP Series ODP Series ODP Series ODP Series
Marlin Controls, Inc.	214.553.5700 www.marlincontrols.com	Starbright Dimming System	
Mytech Corp.	512.450.1100 www.lightswitch.com	OMNI Light Owl Light Hawk LP-2	MP-xxx MP-xxx
Nexlight	218.828.3700 www.nexlight.com	WR3371	WN5605
Triatek, Inc.	770.242.1922 www.triatek.com	LP-IR	LP-IR-PWRPACK

Photocell Sensor - Mark X® Powerline

Control Manufacturer	Phone/ Website	Photocell Sensor	Power Booster Available
Triatek, Inc.	770.242.1922 www.triatek.com	LP-PC and PHOTO/I	

Building Management System - Mark X® Powerline

Control Manufacturer	Phone/ Website	Building Management System Interface	Power Booster Available
Automated Logic Corp.	770.429.3000 www.automatedlogic.com	M Series S Series	24 VAC 24 VAC
AMX Corp.	800.222.0193 www.amx.corp	RDD-DM4 and RDD-DM6 RDM-INC, RDM-2INC and RDM-INC50	
AVAB America, Inc.	877.797.7374 www.pwrseries.corp	PWR Series – Models DD, DIM, & UNI	
Crestron Electronics, Inc.	888.CRESTRON www.crestron.com	CresLite™ Lighting System	
Nexlight	218.828.3700 www.nexlight.com	Direct WR 3386-894K Gateway SIU Interface	24VAC 24VAC

Total Building Lighting Control System - Mark X® Powerline

Control Manufacturer	Phone/Website	Total Building Lighting Control System	Power Booster Available
AMX Corp.	800.222.0193 www.amxcorp.com	RDD-DM4 and RDD-DM6 RDM-INC, RDM-2INC and RDM-INC50	
AVAB America, Inc.	877.797.7374 www.pwrseries.com	PWR Series – Models DD, DIM, & UNI	
Blackbird	812.944.0799	BBMO-MX-AB-IR	
Crestron Electronics, Inc.	888.CRESTRON www.crestron.com	CresLite™ Lighting System	
Electronics Diversified, Inc.	503.645.5533 www.edionline.com	Mark X System Rack Prolite Dimming System and Versa-Pak System	
Lehigh Electric Products Co.	610.395.3386 www.lehighdim.com	Solitaire ACFL Interface	PBX
Leviton Lighting Controls Div.	503.404.5500 www.leviton.com	Leviton a-2000 Dimmer System Leviton MDS Dimmer System Leviton I series e Dimmer System	
Lighting Control & Design	323.226.0000 www.lightingcontrols.com	GR 4000	
Lithonia Controls	770.987.4200 www.lithonia.com	Synergy System	
Marlin Controls, Inc.	214.553.5700 www.marlincontrols.com	Starbright Dimming System	
Triatek, Inc.	770.242.1922 www.triatek.com	ACFL Interface	

System Control Module Interface - Mark X® Powerline

Control Manufacturer	Phone/Website	System Control Module Interface	Power Booster Available
AVAB America, Inc.	877.797.7374 www.pwrseries.com	PWR Series – DMXE	
Blackbird	812.944.0799	BBMO-MX-AB-IR	
Electronics Diversified, Inc.	503.645.5533 www.edionline.com	Mark X System Rack Prolite Dimming System and Versa-Pak System	
Lehigh Electric Products Co.	610.395.3386 www.lehighdim.com	Solitaire ACFL Interface	PBX
Leviton Lighting Controls Div.	512.927.7711 800.996.2276 www.leviton.com	Leviton a-2000 Dimmer System Leviton MDS Dimmer System	
Lighting Control & Design	323.226.0000 www.lightingcontrols.com	GR 4000	
Marlin Controls, Inc.	214.553.5700 www.marlincontrols.com	Starbright Dimming System	
Nexlight	218.828.3700 www.nexlight.com	WR8 with WRT 5731-84W or WR8 with WRT 5771-84	
Touch-Plate	219.424.4323 www.touchplate.com	MCD-4000	
Vara-Light/HUB	815.455.4400	DCM with FL-60 (digital) or M36 (analog)	

Architectural Control - Mark X® Powerline

Control Manufacturer	Phone/ Website	Architectural Control	Power Booster Available
ALM Systems Inc.	847.860.1490 www.almstys.com	ABIU	
AMX Corp.	800.222.0193 www.amxcorp.com	RDD-DM4 and RDD-DM6 RDM-INC, RDM-2INC and RDM-INC50	
AVAB America, Inc.	877.797.7374 www.pwrseries.com	PWR Series – Models DD, DIM, & UNI	
Blackbird	812.944.0799	BBMO-MX-AB-IR	
Crestron Electronics, Inc.	888.273.7876 www.crestron.com	CresLite™ Lighting System	
Electronics Diversified, Inc.	503.645.5533 www.edionline.com	Prolite Dimming System and Versa-Pak System Mark X System Rack	
Electronic Theatre Controls, Inc.	608.831.4116 www.etconnect.com	UNISON	
Colortran, A Leviton Co.	503.404.5500 www.nsicorp.com	ENR and I Series I Series E and I Series Quad	
HUNT Dimming	970.484.9048 www.huntdimming.com	Preset slide: PS-600-IV Mark X and PS-600-WH Mark X (120V) Preset slide: PS-600-3W-IV Mark X and PS-600-3W-WH Mark X (120V) Preset slide: PS-600-IV Mark X and PS-600-WH Mark X (277V) Preset slide: PS-600-3W-IV Mark X and PS-600-3W-WH Mark X (277V) Slide: SC-10-IV Mark X and SC-10-WH Mark X (120V) Slide: SC-15-IV Mark X and SC-15-WH Mark X (120V) Slide: SC-10-IV Mark X and SC-10-WH Mark X (277V) Slide: SC-15-IV Mark X and SC-15-WH Mark X (277V) Preset slide for Modular Mark X systems: PS-IFC-IV Mark X and PS-IFC-WH Mark X Preset slide for Modular Mark X systems: PS-IFC-3W-IV Mark X and PS-IFC-3W-WH Mark X FD-30 Mark X and FD-20 Mark X 120V MASTER FD-30-S Mark X and FD-20-S Mark X 120V SLAVE FD-27 Mark X 277V MASTER and FD-27-S Mark X 277V SLAVE	
Lehigh Electric Products Co.	610.395.3386 www.lehighdim.com	Solitaire ACFL Interface	PBX
Leviton Lighting Controls Div.	503.404.5500 www.leviton.com	Leviton a-2000 Dimmer System Leviton MDS Dimmer System Leviton I series e Dimmer System Power Master Station 120V: DPSPM-412, DPSPM-512, and DPSPM-612	
	800.824.3005 www.leviton.com	Monet™ 120V: MNX10-1L and 277V: MNX20-7 Monet™ 120V: MNX15-1L and 277V: MNX30-7 Renoir™ 120V: 26666-31 and 277V: 26666-37	DPSPE-112 for 120V versions DPSPE-112 for 120V versions DPSPE-112 for 120V versions
Lightolier	800.526.2731 www.lolcontrols.com	Lytemode module LM2-2000EB(120V) and LM2-2000EB-32(120V) and LM-23000EB(277)	Dimming cabinet
Lighting Control & Design	323.226.0000 www.lightingcontrols.com	GR 4000	
Lithonia Controls	770.987.4200 www.lithonia.com	Sequel System Synergy System	
Marlin Controls, Inc.	214.553.5700 www.marlincontrols.com	Starbright Dimming System	
Nexlight	218.828.3700 www.nexlight.com	WR8 with WTV 560X Series	
Sterner Controls	320.543.3595	BPM-EHVFL-2W or ARA series	
Strand Lighting	310.637.7500 www.strandlighting.com	DE90 Dimming System (120/277V)	
Touch-Plate	219.424.4323 www.touchplate.com	CPD-4000	
Vantage	801.229.2800 www.vantageinc.com	SD4008-120	
Vara-Light/HUB	815.455.4400	DCM with FL-60 (digital) or M36 (analog)	

Remote Control Via Computer - Mark X® Powerline

Control Manufacturer	Phone/ Website	Remote Control Via Computer	Power Booster Available
AMX Corp.	800.222.0193 www.amxcorp.com	RDD-DM4 and RDD-DM6 RDM-INC, RDM-2INC and RDM-INC50	
AVAB America, Inc.	877.797.7374 www.pwrseries.com	PWR Series – Models DD, DIM, & UNI	
Colortran, A Leviton Co.	503.404.5500 www.leviton.com	ENR and I Series I Series E and I Series Quad	
Crestron Electronics, Inc.	888.CRESTRON www.crestron.com	CresLite™ Lighting System	
Electronics Diversified, Inc.	503.645.5533 www.edionline.com	Mark X System Rack Prolite Dimming System and Versa-Pak System	
Lehigh Electric Products Co.	610.395.3386 www.lehighdim.com	Solitaire ACFL Interface	PBX
Leviton Lighting Controls Div.	503.404.5500 www.leviton.com	Leviton a-2000 Dimmer System Leviton MDS Dimmer System Leviton I series e Dimmer System	
Lighting Control & Design	323.226.0000 www.lightingcontrols.com	GR 4000	
Marlin Controls, Inc.	214.553.5700 www.marlincontrols.com	Starbright Dimming System	
Triatek, Inc.	770.242.1922 www.triatek.com	LP-2500, LP-2600, LP-2800 and RCS-1000	
Nexlight	218.828.3700 www.nexlight.com	LS III and WR3386-894K	WR3912-84
Vara-Light/HUB	815.455.4400	DCM with FL-60 (digital) or M36 (analog)	

Theatrical Control - Mark X® Powerline

Control Manufacturer	Phone/ Website	Theatrical Control	Power Booster Available
AMX Corp.	800.222.0193 www.amxcorp.com	RDD-DM4 and RDD-DM6 RDM-INC, RDM-2INC and RDM-INC50	
Colortran, A Leviton Co.	503.404.5500 www.leviton.com	ENR and I Series I Series E and I Series Quad	
Crestron Electronics, Inc.	888.CRESTRON www.crestron.com	CresLite™ Lighting System	
Electronics Diversified, Inc.	503.645.5533 www.edionline.com	Mark X System Rack Prolite Dimming System and Versa-Pak System	
Electronic Theatre Controls, Inc.	608.831.4116 www.etconnect.com	SENSOR	
Lehigh Electric Products Co.	610.395.3386 www.lehighdim.com	ACFL Interface	
Leviton Lighting Controls Div.	503.404.5500 www.leviton.com	Leviton I series e Dimmer System	
Lithonia Controls	770.987.4200 www.lithonia.com	Synergy System	
Strand Lighting	310.637.7500 www.strandlighting.com	CD80S Dimming System (120V)	
Vara-Light/HUB	815.455.4400	DCM with FL-60 (digital) or M36 (analog)	

Advance Dimming Ballasts Control Compatibility Guide

Wallbox Dimmer - Mark VII® 0-10V

Control Manufacturer	Phone/ Website	Wallbox Dimmer	Power and Slave Packs Required
Douglas Lighting Controls	604.873.2797 www.douglaslightingcontrols.com	WPC-5721	
Honeywell, Inc.	800.345.6770 www.honeywell.com	EL7315A1019 and EL7315A1009	EL7305A1010 (optional)
HUNT Dimming	970.484.9048 www.huntdimming.com	Preset slide: PS-010-IV-120V and PS-010-WH-120V Preset slide: PS-010-3W-IV-120V and PS-010-3W-WH-120V Preset slide: PS-010-IV-277V and PS-010-WH-277V Preset slide: PS-010-3W-IV-277V and PS-010-3W-WH-277V Preset slide, controls FD-010: PS-IFC-010-IV- and PS-IFC-010-WH-120/277V Preset slide, controls FD-010: PS-IFC-010-3W-IV- and PS-IFC-010-3W-WH-120/277V Remote mounted unit: FD-010-120V and FD-010-277V	
Lehigh Electric Products Co.	610.395.3386 www.lehighdim.com	Solitaire	PBX
Leviton Lighting Controls Div.	800.824.3005 www.leviton.com	Leviton Centura Fluorescent Control System IllumaTech™ IP7 Series DPSPE-212 (Slave Pack converts any Leviton dimmer to Mark VII)	CN100
Lightolier	800.526.2731 www.loicontrols.com	ZP600FAM120 Sunrise Preset slider (120V) MP1500FAM120 Momentum Preset slider (120V) V2000FAMU Vega Slider (120/277)	
Lithonia Controls	770.987.4400 www.lithonia.com	LEQ BC LEQ LVBC and SLD LVBC SQ1DC	LPCS power control station RDM FC
PDM Electrical Products*	514.342.6581	WPC-5721	
The Watt Stopper, Inc.	800.879.8585 www.wattstopper.com	LS-4 used with LCD-101 and LCD-103	

*Note: PDM Electrical products is a subsidiary of Douglas Lighting Controls

Occupancy Sensor - Mark VII® 0-10V

Control Manufacturer	Phone/ Website	Occupancy Sensor	Power and Slave Packs Required
Cutler-Hammer	803.481.6870 www.cutlerhammer.com	PRC100DOC PRC100LSI PRL100LSO PRC100LSA PRC100LSS	
Leviton Lighting Controls Div.	800.824.3005 www.leviton.com	Multi-Tech Wall Occupancy Sensor: ODW 12 Wide View Occupancy Sensor: ODWWV High Bay Occupancy Sensor: ODWHB Multi-Tech Ceiling Occupancy Sensor: ODC05, ODC10 and ODC20 Ultrasonic Ceiling Occupancy Sensor: ODC05, ODC10 and ODC20 Ceiling Occupancy Sensor: ODC04 PIR	CN100 CN100 CN100 CN100 CN100 CN100
Lithonia Controls	770.987.4200 www.lithonia.com	LIRW wall box sensor LMTO H multi-technology Omni directional sensor with LPCS LMT H multi-technology directional with LPCS LUSO H ultrasonic ceiling mount with LPCS LIRO H infrared ceiling mount with LPCS LIR H infrared directional with LPCS	
Marlin Controls, Inc.	214.553.5700 www.marlincontrols.com	EFD	
Mytech Corp.	512.450.1100 www.lightswitch.com	OMNI Light Owl Light Hawk LP-2	MP-xxx MP-xxx
Novitas	310.568.9600 www.novitas.com	Ceiling Sensors: 01-060, 01-072, 01-083 and 01-092 BAS Ceiling Sensors: 01-074, 01-084 and 01-094 Ceiling Sensors: 01-076, 01-082 and 01-091 Designer Ceiling Sensors: 01-100, 01-160, 01-180, 01-110 and 01-190 Super Dual Technology Sensor: 01-300 High Bay Sensors: 01-320 SuperSwitch Mini-Wall Sensor: 01-220 SuperSwitch Mini-Wall Sensor: 01-230 SuperSwitch Mini-Wall Sensor: 01-260 Airflow Tolerant Sensors: 01-077 and 01-087 Extreme Temperature Sensors: 01-340	13-031,13-041,13-051,13-061 or 13-071 24VAC Transformer GE RR7 24VAC Transformer 13-031,13-041,13-051,13-061 or 13-071 13-031,13-041,13-051,13-061 or 13-071 13-031,13-041,13-051,13-061 or 13-071 13-031,13-041,13-051,13-061 or 13-071 GE RR7 24VAC Transformer 24VAC Transformer 13-031,13-041,13-051,13-061 or 13-071 13-031,13-041,13-051,13-061 or 13-071
The Watt Stopper, Inc.	800.879.8585 www.wattstopper.com	IRT-1000, Desktop Remote Control Dimmer IRT-1000 w/Power Strip Desktop Remote Control Dimmer W Series, Ultrasonic Occupancy Sensor WT Series, Ultrasonic Occupancy Sensor CI Series, PIR Occupancy Sensor CX Series, PIR Occupancy Sensor DT Series, Dual Technology Occupancy Sensor	B120E-P or B277E-P or Isole Power Strip B120E-P or B277E-P or Isole Power Strip B120E-P or B277E-P B120E-P or B277E-P B120E-P or B277E-P B120E-P or B277E-P B120E-P or B277E-P
Triatek, Inc.	770.242.1922 www.triatek.com	LP-IR	LP-IR-PWRPACK

Photocell - Mark VII® 0-10V

Control Manufacturer	Phone/ Website	Photocell	Power and Slave Packs Required
Douglas Lighting Controls	604.873.2797 www.douglaslightingcontrols.com	WPC-5700	
Leviton Lighting Controls Div.	800.824.3005 www.leviton.com	Leviton Centura Fluorescent Control System Photocell: ODCOP	CN100 CN100
Lithonia Controls	770.987.4200 www.lithonia.com	LEQ DPC	
Mytech Corp.	512.450.1100 www.lightswitch.com	DLC-7	
Novitas	310.568.9600 www.novitas.com	Indoor Photocell: 01-PCI Outdoor Photocell: 01-PCO Atrium Photocell: 01-PCA Skylight Photocell: 01-PCS Indoor Photocell: 01-PDI	13-031,13-041,13-051,13-061, 13-071 or 01-PCC 13-031,13-041,13-051,13-061, 13-071 or 01-PCC 13-031,13-041,13-051,13-061, 13-071 or 01-PCC 13-031,13-041,13-051,13-061, 13-071 or 01-PCC
PLC Multipoint	425.353.7552 www.plcmultipoint.com	EDSAB and RCD-	
PDM Electrical Products*	514.342.6581	WPC-5700	
Sensor Switch, Inc.	203.265.2842 www.sensorswitch.com	CM-ALC	
Triatek, Inc.	770.242.1922 www.triatek.com	LP-PC	
The Watt Stopper, Inc.	800.879.8585 www.wattstopper.com	LIGHTSAVER LCD – 101 LIGHTSAVER LCD – 103 LS-201, Light Level Sensor LS-100, Light Level Controller	B120E-P or B277E-P

*Note: PDM Electrical Products is a subsidiary of Douglas Lighting Controls

Building Management System - Mark VII® 0-10V

Control Manufacturer	Phone/ Website	Mark VII Building Management System	Power and Slave Packs Required
AMX Corp.	800.222.0193 www.amxcorp.com	Radia (RDM-HDC) RDM-DC Series Dimmers	
AVAB America, Inc.	877.797.7374 www.pwrseries.com	PWE Series – FLV	
Automated Logic Corp.	770.429.3000 www.automatedlogic.com	M Series S Series	24 VAC 24 VAC
Crestron Electronics, Inc.	888.CRESTRON www.crestron.com	Creslite™ Lighting System	
Johnson Controls	414.274.4000 www.jci.com	Application Specific	
Lithonia Controls	770.987.4200 www.lithonia.com	Synergy lighting control system	
Nexlight	218.828.3700 www.nexlight.com	Direct WR 3386-894K Gateway SIU Interface	

Total Building Lighting Control - Mark VII® 0-10V

Control Manufacturer	Phone/Website	Mark VII Total Building Lighting Control System	Power and Slave Packs Required
AMX Corp.	800.222.0193 www.amxcorp.com	Radia (RDM-HDC) RDM-DC Series Dimmers	
AVAB America, Inc.	877.797.7374 www.pwrseries.com	PWR Series – Models FLV	
Blackbird	812.944.0799	2BMO-FLST-AB-IR	
Crestron	888.CRESTRON www.crestron.com	CresLite™ Lighting System	
Electronics Diversified, Inc.	503.645.5533 www.edionline.com	Mark VII System Rack Prolite Dimming System and Versa-Pak System Electronic Ballast Controller	
Lehigh Electric Products Co.	610.395.3386 www.lehighdim.com	Sentry Solitaire DCFL Interface	PBX
Leviton Lighting Controls Div.	503.404.5500 www.leviton.com	Leviton a-2000 Dimmer System Leviton MDS Dimmer System	
	800.824.3005	Leviton Centura Fluorescent Control System	CN100
Lighting Control & Design	323.226.0000 www.lightingcontrols.com	GR 4000	
Marlin Controls, Inc.	214.553.5700 www.marlincontrols.com	EFD	
Nexlight	218.828.3700 www.nexlight.com	Direct WR 3386-894K Gateway SIU Interface	
Triatek, Inc.	770.242.1922 www.triatek.com	LP-LINK and LP-CGWS	

System Control Module Interface - Mark VII® 0-10V

Control Manufacturer	Phone/Website	System Control Module Interface	Power and Slave Packs Required
AVAB America, Inc.	877.797.7374 www.pwrseries.com	PWR Series – Models DMXE	
Blackbird	812.944.0799	2BMO-FLST-AB-IR	
Cutler-Hammer	803.481.6870 www.cutterhammer.com	POW-R-Command System PRCEC Panel Board with GHBS Circuit Breakers	
Electronics Diversified, Inc.	503.645.5533 www.edionline.com	Mark VII System Rack Prolite Dimming System and Versa-Pak System Electronic Ballast Controller	
Johnson Controls	414.274.4000 www.jci.com	Application Specific	
Lehigh Electric Products Co.	610.395.3386 www.lehighdim.com	Solitaire DCFL Interface	PBX
Leviton Lighting Controls Div.	503.404.5500 www.leviton.com	Leviton a-2000 Dimmer System Leviton MDS Dimmer System	
	800.824.3005	Leviton Centura Fluorescent Control System	CN100
Lighting Control & Design	323.226.0000 www.lightingcontrols.com	GR 4000	
Marlin Controls, Inc.	214.553.5700 www.marlincontrols.com	EFD	
NexLight	218.828.3700 www.nexlight.com	WRT 4244-84	
Novar Controls	330.670.1010 www.novarcontrols.com	FDI (Fluorescent Dimming Interface)	
Touch-Plate	219.424.4323 www.touchplate.com	CPD-8000 D MCPSeries	
Vara-Light/HUB	815.455.4400	PFC-Analog and PGS-M-Digital	EBIC

Architectural Control - Mark VII® 0-10V

Control Manufacturer	Phone/Website	Architectural Control	Power and Slave Packs Required
ALM Systems Inc.	847.860.1490 www.almsys.com	SS-120 and SS-277	
AMX Corp.	800.222.0193 www.amxcorp.com	Radia (RDM-HDC) RDM-DC Series Dimmers	
AVAB America, Inc.	877.797.7374 www.pwrseries.com	PWR Series – Models FLV	
Blackbird	812.944.0799	2BMO-FLST-AB-IR	
Colortran, A Leviton Co.	503.404.5500 www.leviton.com	Digital Ballast Controller	
Crestron Electronics, Inc.	888.CRESTRON www.crestron.com	CresLite™ Lighting System	
Electronics Diversified, Inc.	503.645.5533 www.edionline.com	Mark VII System Rack Prolite Dimming System and Versa-Pak System Electronic Ballast Controller	
Electronic Theatre Controls, Inc.	608.831.4116 www.etconnect.com	UNISON	
HUNT Dimming	970.484.9048 www.huntdimming.com	Preset slide: PS-010-IV-120V and PS-010-WH-120V Preset slide: PS-010-3W-IV-120V and PS-010-3W-WH-120V Preset slide: PS-010-IV-277V and PS-010-WH-277V Preset slide: PS-010-3W-IV-277V and PS-010-3W-WH-277V Preset slide, controls FD-010: PS-IFC-010-IV- and PS-IFC-010-WH-120/277V Preset slide, controls FD-010: PS-IFC-010-3W-IV- and PS-IFC-010-3W-WH-120/277V Remote mounted unit: FD-010-120V and FD-010-277V	
Lehigh Electric Products Co.	610.395.3386 www.lehighdim.com	Sentry Solitaire DCFL Interface	
Leviton Lighting Controls Div.	503.404.5500 www.leviton.com	Leviton a-2000 Dimmer System Leviton MDS Dimmer System	
	800.824.3005	Leviton Centura Fluorescent Control System	CN100
Lighting Control & Design	323.226.0000 www.lightingcontrols.com	GR 4000	
Lightolier	800.526.2731 www.lolcontrols.com	LM2-2400FAM Lytemode module (120V) LM2-2400FAM-32 Lytemode module (120V) LM2-4000FAM Lytemode module (277V)	Dimming cabinet Dimming cabinet Dimming cabinet
Lithonia Controls	770.987.4200 www.lithonia.com	Sequel System Synergy lighting control system	
Marlin Controls, Inc.	214.553.5700 www.marlincontrols.com	EFD	
Nexlight	218.828.3700 www.nexlight.com	WRT4244-84 with WTV560X Series	
Sterner Controls	320.543.3595	BPM-ELVFL-0-10 or ARA series	
Strand Lighting	310.637.7500 www.strandlighting.com	Electronic Fluorescent Ballast Controller (120/277V)	
Touch-Plate	219.424.4323 www.touchplate.com	CPD-8000D	
Vantage	801.229.2800 www.vantageinc.com	SD4008-120	
Vara-Light/HUB	815.455.4400	PFC-Analog and PGS-M-Digital	EBIC

Remote Control Via Computer - Mark VII® 0-10V

Control Manufacturer	Phone Number	Remote Control Via Computer	Power and Slave Packs Required
AMX Corp.	800.222.0193 www.amxcorp.com	Radia (RDM-HDC) RDM-DC Series Dimmers	
AVAB America, Inc.	877.797.7374 www.pwrseries.com	PWR Series FLV	
Colortran, A Leviton Co.	503.404.5500 www.nsicorp.com	Digital Ballast Controller	
Crestron Electronics Inc.	888.CRESTRON www.crestron.com	CresLite™ Lighting System	
Electronics Diversified, Inc.	503.645.5533 www.edionline.com	Mark VII System Rack Prolite Dimming System and Versa-Pak System	
Lehigh Electric Products Co.	610.395.3386 www.lehighdim.com	Sentry Solitaire DCFL Interface	
Leviton Lighting Controls Div.	503.404.5500 www.leviton.com	Leviton a-2000 Dimmer System Leviton MDS Dimmer System	
	800.824.3005	Leviton Centura Fluorescent Control System	CN100
Lighting Control & Design	323.226.0000 www.lightingcontrols.com	GR 4000	
Marlin Controls, Inc.	214.553.5700 www.nsicorp.com	EFD	
Nexlight	218.828.3700 www.nexlight.com	LSIII and WR 3386-894K	
Triatek, Inc.	770.242.1922 www.triatek.com	LP-2500, LP-2600, LP-2800 and RCS-1000	
Vara-Light/HUB	815.455.4400	PFC-Analog and PGS-M-Digital	EBIC

Remote Control Via Hand-Held Device - Mark VII® 0-10V

Control Manufacturer	Phone Number	Remote Control Via Hand-Held Device	Power and Slave Packs Required
Nexlight	218.828.3700 www.nexlight.com	WR 3120-84 and WRT 1514-84	
The Watt Stopper, Inc.	800.879.1699 www.wattstopper.com	IRC-1000, Remote Control Dimmer IRT-1000, Desktop Remote Control Dimmer IRT-1000 w/Power Strip Desktop Remote Control Dimmer	B120E-P or B277E-P B120E-P or B277E-P or Isolate Power Strip B120E-P or B277E-P or Isolate Power Strip

Theatrical Control - Mark VII® 0-10V

Control Manufacturer	Phone Number	Theatrical Control	Power and Slave Packs Required
AMX Corp.	800.222.0193 www.amxcorp.com	Radia (RDM-HDC) RDM-DC Series Dimmers	
Colortran, A Leviton Co.	503.404.5500 www.leviton.com	Digital Ballast Controller	
Crestron Electronics Inc.	888.CRESTRON www.crestron.com	CresLite™ Lighting System	
Electronics Diversified, Inc.	503.645.5533 www.edionline.com	Mark VII System Rack Prolite Dimming System and Versa-Pak System Electronic Ballast Controller	
Electronic Theatre Controls, Inc.	608.831.4116 www.etconnect.com	SENSOR	
Lehigh Electric Products Co.	610.395.3386 www.lehighdim.com	DCFL Interface	



Advance Transformer Co. • O'Hare International Center
10275 West Higgins Road • Rosemont, Illinois 60018
Telephone: (800) 322-2086 • FAX: (888) 423-1882
Customer Support/Technical Service: (800) 372-3331
www.advancetransformer.com

A DIVISION OF PHILIPS ELECTRONICS NORTH AMERICA CORPORATION

